
YG GROUP

ELECTRIC & MANUAL REINFORCED WATER-ACTIVATED TAPE SOLUTIONS



CATALOGUE

01

ABOUT YG

COMPANY INTRODUCTION 01

02

PRODUCT PROFILE

REINFORCED WAT SERIES 03

REINFORCED WAT SERIES (PRINTED) 04

MANUAL WAT DISPENSER SERIES 05

ELECTRICAL WAT DISPENSER SERIES 06

YG Global Plants

YG Group, headquartered in Shanghai, a global leader in adhesive solutions with over 20 years of industry experience in automotive adhesive fields. YG Group operates five manufacturing bases: three in China (Shanghai, Jiangxi, and Shandong Provinces) and two overseas in Malaysia and Vietnam. Supported by two global operations centers—the U.S. Operations Center and the Mexico Operations Center —YG Group ensures agile production, efficient logistics, and localized services on a global scale.

Founded in Shanghai
In 2002

Main Board Listing
In 2019

Total Area
1 Million+


Serving Countries
110+

Employees
4000+

Serving Customers
26000+



Jiangxi Plant



Shandong Plant



Shanghai Plant

Vietnam Plant




Malaysia Plant




The United States Plant





Overiamination Rewind Slitter



2 Shafts Lathe Tape Slitter

YG Technology Inc.

ADD： 4009 Distribution Dr. Suite 225, Garland, TX 75041

Landscape
300,000 sq ft

Warehouse Storage Capacit
>300 Containers & Machines

YG GROUP
Stock code: 603681

REINFORCED WATER ACTIVATED KRAFT TAPE SERIES

Made of kraft paper reinforced with high-strength fiber yarn and coated with starch-based adhesive. It is biodegradable, ideal for automated packing system use.



Features

- High tensile strength and adhesion
- Eco-friendly and biodegradable
- Durable, tamper-resistant packaging
- Printable versatile surface and cost-effective
- Works with manual or automatic dispensers





Product Category	Reinforcement Pattern	Code	Tensile Strength	Total Thickness	Color
Economic	1-1-1-1	KJ345	≥185N/25mm	140±10μm	Natural
	1-1-1-1	KJ441	≥185N/25mm	140±10μm	White(Up) / Brown(Down)
General Purpose	1-1-1-1-1	KJF130-24	≥220N/25mm	140±10μm	Natural
	1-1-1-1-1	KJ552	≥220N/25mm	140±10μm	White
	1-1-1-1-1	KJ359	≥230N/25mm	130±10μm	Natural
Double-Reinforced	2-1-1-1-1-2	KJ561	≥320N/25mm	160±10μm	Natural

NOTES (FOR JUMBO ROLL PRINTING):

- Due to the current balance between printability and curling resistance, achieving perfectly printing is not always possible.
- For customers with high printing appearance requirements, please select the corresponding product code.
- Please note that for jumbo rolls wider than 550 mm, there is a potential risk of plum blossom pattern during printing.

YG GROUP
Stock code: 603681

REINFORCED WATER ACTIVATED KRAFT TAPE SERIES (PRINTED)

Made of kraft paper reinforced with high-strength fiber yarn and coated with starch-based adhesive, providing strong sealing strength with custom printed patterns.



Features

- Eco-friendly and biodegradable
- Custom printed patterns available
- Strong adhesion, tamper-resistant packaging
- Reinforced with fiber yarn for high tensile strength
- Works with manual or automatic dispensers





Product Category	Reinforcement Pattern	Code	Tensile Strength	Total Thickness	Color
Finished Printing	1-1-1-1-1	KJ431	≥220N/25mm	140±10μm	Natural
	1-1-1-1-1	KJ401	≥220N/25mm	140±10μm	White
	1-1-1-1-1	KJ302	≥220N/25mm	140±10μm	Natural
Custom Sizes	2.9" × 125 yds, 3.0" × 150/300 yds				
	*Customizable sizes to meet specific application requirements				

NOTES (FOR FINISHED PRINTING PRODUCTS):

•YG can supply fully printed finished products ready for direct distribution.

•The sizes listed in the above table are for reference only.

•Customized size options are provided based on customer requirements. Please contact us for special specifications.

•Customized printing services are available, including customer-specified designs, texts, and colors.

•For special requirements regarding printing appearance or application performance, please contact prior to order confirmation.

YG GROUP
Stock code: 603681

MANUAL WATER ACTIVATED KRAFT TAPE DISPENSER SERIES

Designed for low-to-medium volume packaging, our manual dispensers are reliable, easy to use, and ideal for light-duty packing stations.



Dispenser Operation

- No electricity required
- Simple maintenance and portable
- Perfect for small batch carton sealing
- Available for dual-length cutting setting
- Adjustable for different size of tapes and paper qualities



Key Components

- Roller is a key component for stable tape feeding
- Moistening brush is a core component for activating the tape with water
- Weight ensures proper pressure between paper and the moistening brush
- Tension spring ensures smooth cutting of short tape lengths
- Cutting blade is used to trigger tape cutting by manually pulling the handle

Type	Specifications
Series	PC302
Dimensions	15.0×11.0×8.7 INCH (38X28X22CM)
Voltage	N/A
Power	N/A
Speed	Based on the manual operation speed
Weight	9 ((approx.) KG
Note	For any inquiries, please contact YG Group for further consultation.

YG GROUP
Stock code: 603681

ELECTRICAL WATER ACTIVATED KRAFT TAPE DISPENSER SERIES

Engineered for high-volume, fast-paced packing operations. The electric dispenser ensures consistent, precise tape lengths for every carton.



Dispenser Operation

- Customizable for various color, logo, packaging
- Adjustable temperature and length settings
- Programming mode for continuous dispensing of multiple lengths
- High speed (20inches/sec) for fast-paced demands
- Overall small size for portable and space-efficient



Key Components

- Water tank and bottle ensures the brush is soaked for smooth tape dispensing
- Brush assembly is used to moisten the tape for better adhesion
- Drive wheel responses for tape delivery, ensuring even application at the cut edge
- Shear blade is used for cutting tape in both automatic and manual operations
- Heating equipment includes a temperature control system to adjust heat settings


Type	Specifications
Series	NT-AT
Dimensions	17.7*12.6*11.0 INCH (45*32*28CM)
Voltage	200~230V or 100~120V
Power	200W
Speed	20inches / second (30m / minutes)
Weight	12 (approx.) KG
Note	For any inquiries, please contact YG Group for further consultation.

YG GROUP

—LEADING THE WORLD IN STICK-AND-SOLVE

YG GROUP

Stock code: 603681



SHANGHAI YONGGUAN ADHESIVE PRODUCTS CORP.,LTD.

ADD: NO.15 RD.KANGGONG, ZHUJIAJIAO INDUSTRIAL ZONE,QINGPU DISTRICT, SHANGHAI, CHINA

Tel : +86-21-59830069

Fax : +86-21-59832200

Post Code : 201713

E-mail : gmoffice1@ygtape.com

Web : www.ygtape.com